

## Adaptations to the Mock Pineapple block

For each 3 round square to sew a finished 6 1/2" block


Center Square	2 1/2 inches	1
Side Strips	1 1/4 inches	4-2 1/2" x 1 1/4"—1st round
		4-4 1/4" x 1 1/4"—2nd round
		4-5 3/4" x 1 1/4"—3rd round
Corner Squares	2 1/2 inches	6 cut on diagonal 




**Step 1:** To the center 2 1/2" square, sew one 2 1/2" side strip to each side of the four sides as shown. Press seam allowance toward the strips.



**Step 2:** Using a ruler with a 45° angle, align 45° line with one edge of center block allowing for a 1/4" seam at the top as shown. Make sure you are also aligned through the diagonal of the center square as well.



**Step 3:** Rotary cut the 2 exposed corner triangles. Repeat steps 2 and 3 at the other 3 corners.




**Step 4:** Attaching corner triangles. After you have cut the squares on the diagonal, place triangle on one side of square; align point of triangle with diagonal point of center square and sew using 1/4" seam. I like to go to opposite corner with the next triangle. Press toward the triangles. Repeat around the block.



*Please note block has different fabrics than Steps 1-4.*

**Step 5:** To the new square, sew one 4 1/4" side strip to each side of the four sides. Press seam allowance toward the strips. Repeat steps 2, 3 and 4 to align, trim and sew triangles.



**Step 6:** To the new square, sew one 5 3/4" side strip to each side of the four sides. Press seam allowance toward the strips. Repeat steps 2, 3 and 4 to align, trim and sew triangles.



Completed squares  
measure 7" for a  
finished 6 1/2"  
block

