Equipment needed:

6 ½" square ruler – (larger if not cutting from scraps)
Cutting Mat
Rotary Cutter
5: square template plastic

Neutral Thread

Fine permanent marker and sharp pencil

Technique: Rotary Cut, Machine Pieced


Fabric Cuts:

Cut the following using assorted scraps and strips to equal amounts

 Light
 2 ½" x 3 ½" Rectangles

 Dark
 2 ½" x 2 ½" Squares

 Dark
 4 ½" x 51/2" Rectangles




	Fabric Yard	lage if not using	Random Scraps	3
	Crib	Lap	Twin	Queen
9" x 22" Dark Pieces*	10	16	30	39
9" x 22" Light Pieces*	6	8	14	19
Inner Border	3/8 yard	½ yard	½ yard	5/8 yard
Outer Border	¾ yard	7/8 yard	1 ¼ yards	1 3/8 yards
Backing	2 1/2 yards	3 yards	5 1/4 yards	7 14 yards
Batting	44" x 60"	52" x 76"	68" x 92"	84" x 100"
Binding	½ yard	½ yard	5/8 yard	¾ yard
*or use scraps				


	First Cut		Second Cut	
	# Strips	Strip Width	# Pieces	Dimensions
Crib				
9" x 22" Dark	12	2 1/2	96	2 ½" x 2 ½"
	12	4 1/2"	48	4 ½ x 5 ½"
9" x 22" Light	16	2 1/2"	96	2 ½" x 3 ½"
Lap				
9" x 22" Dark	20	2 1/2"	160	2 ½" x 2 ½"
	20	4 1/2"	80	4 ½" x 5 ½"
9" x 22" Light	27	2 1/2"	160	2 ½" x 3 ½"
Twin				
9" x 22" Dark	35	2 1/2"	280	2 ½" x 2 ½"
	35	4 1/2"	140	4 ½" x 5 ½"
9" x 22" Light	47	2 ½"	280	2 ½" x 3 ½"
Queen				
9" x 22" Dark	50	2 1/2"	396	2 ½" x 2 ½"
	50	4 1/2"	198	4 ½" x 5 ½"
9" x 22" Light	66	2 1/2"	396	2 ½" x 3 ½"


Block Assembly:

1. Sew each 2 ½" x 3 ½" light rectangle to a 2 ½" dark square.



 Sew pairs of these units end to end as illustrated. Clip the seam allowance to the seam line in the center so that you can press the seam away in opposite directions.





- 3. Cut a 4 1/2" square template and cut in half diagonally.
- 4. Place the template on the wrong side of your pieced unit, with the corner of the template matching the outer corner of each square. Draw a diagonal line along the long edge of the template. Now rotate the template to the opposite corner of the unit and draw a second line.




5. Place a 4 ½" x 5 ½" dark rectangle right sides together with each pieced rectangle. Stitch on each side of the drawn lines. Cut between them, creating 2 blocks as shown below.

Quilt Top Assembly:

Block Set Crib Lap Twin Queen 8 x 12 10 x 16 14 x 20 18 x 22






Arrange the blocks into the required number of rows for the size you are making. Turn the blocks to form different patterns. A design wall is very helpful for this process. So many patterns can be made from these versatile blocks, so keep changing them around until you find a design you like.

Borders:

Add borders if you wish, although this quilt looks great with or without them. If adding borders, add the side borders first, then top and bottom.

I think you know the rest....Layer the quilt with batting and backing, quilt as desired, and bind the edges.....



This is the pattern I used for my blocks.

Some other arrangements.

