$oldsymbol{F}$ abric Chart & Yardage Needed for Wall Hanging:




Fabric A 24027-413 1 panel (30")



Fabric B 24028-417 1 yard



Wall Hangiing Size: 41" x 54"



Q1014 & Q1044

by Shelly Rasche

Quilt Size: 52" x 52"



Fabric C 24031-111 1/2 yard

Fabric F 24032-357

1/2 yard



24031-555 1/2 yard



Fabric G *(backing)* 24034-111 3 yards

Fabric Chart & Yardage Needed for Quilt:



FREE

PATTERN
OFFERED
IN INDEPENDENT
OUILI SHOPE TO
COMPLEMENT THIS
FABRIC COLLECTION.

Fabric A 24029-147 1 yard



Fabric B 24030-147 1 yard



Fabric C 24031-111 1/3 yard

Fabric D 24031-777 1 1/8 yards (includes binding)



Fabric E (backing) 24032-137 3 1/2 yards



Fabric F 24032-357 1 yard



Fabric G 24033-717 3/8 yard



Fabric H 24034-311 3/8 yard



Angels on High

Please read all instructions carefully before starting. All instructions include a 1/4" seam allowance and strips are cut from selvage to selvage unless otherwise stated. Pay special attention to the fabric letters for each project according to the yardage chart since some fabrics are used in both projects but with different letters.

Quilt Instructions approximate size 52" x 52"

1. Cut the following

Fabric A - cut 13 (8 dark and 5 light) - 8 3/4" x 8 3/4" squares (center designs evenly)

Fabric B - cut 1 - 17 3/4" strip, subcut 2 - 17 3/4" squares, cut in half diagonally from both directions for 8 side triangles \boxtimes

cut 1 - 9 3/8" strip, subcut 2 - 9 3/8" squares, cut in half diagonally, $1 \bigcirc$, $1 \bigcirc$ corner triangles

Fabric C - cut 1 - 6 3/4" strip, subcut 4 - 6 3/4" squares, cut in half diagonally for 8 triangles \square

Fabric D - cut 2 - 6 3/4" strips, subcut 8 - 6 3/4" squares, cut in half diagonally for 16 triangles \square

BINDING - cut 6 - 2 1/4" strips, sew end to end and press in half

Fabric F - cut 2 - 6 3/4" strips, subcut 10 - 6 3/4" squares, cut in half diagonally for 20 triangles \square

Fabric G - cut 1 - 6 3/4" strip, subcut 4 - 6 3/4" squares, cut in half diagonally for 8 triangles


☐


Fabric H - cut 6 - 11/2" strips, sew end to end for 1 long strip then subcut 2 - 11/2" x 50" (Sides) and 2 - 11/2" x 52" (Top and Bottom)

2. Piecing Order:

 Sew triangles around A blocks, opposite sides first, press toward triangles, then sew triangles to the remaining sides according to the diagrams below. Center triangles evenly by folding triangles and squares in half then match middle marks.


Make 13 - 11 5/8" finished (12 1/8" unf.) blocks.





(**G and C will be sewn to different sides of each A block so refer to the cover picture for the exact placement for each block.)

- 2. Sew quilt together by diagonal rows of blocks according to the diagram. Pay attention to the direction of **B** triangles according to the colored cover picture.
- 3. Sew **H** 1 1/2" borders around the quilt, SIDES first, then TOP and BOTTOM borders.



4. The quilt measures approximately 52" x 52". Make backing (**Fabric E**) at least 6" larger than the top. Baste together top, batting and backing. Quilt as desired. Attach binding (**Fabric D**) and enjoy!!

Wall Hanging Instructions approximate size 41" x 54" Page 2

1. Cut the following:

Fabric A - cut 1 - 29 1/2" x 42 1/2" (center design evenly)

Fabric B - cut borders lengthwise: cut 1 - 7" x 31 1/2" (Top)

cut 1 - 4" x 31 1/2" (Bottom)

Fabric C - cut 6 - 1 7/8" strips Fabric D - cut 6 - 1 7/8" strips


Fabric E - BINDING - cut 6 - 2 1/4" strips, sew end to end

and press in half

Fabric F - cut 7 - 1 1/2" strips, sew end to end for 1 long strip, then subcut 2 - 1 1/2" x 42 1/2" (Sides), 2 - 1 1/2" x 52 1/2" (Sides) and 2 - 1 1/2" x 41 1/2" (Top and Bottom)


2. Piecing Order:

 Sew F 1 1/2" x 42 1/2" to both sides of A center block. Next, sew B above and below center block according to the diagram.



Make one strip set by alternating 3 C 1 7/8" strips and
 D 1 7/8" strips. Stagger each strip approximately 1 7/8" according to the diagram for the RIGHT border.


Place 45° line on ruler over a middle seam, then cut the left side of strip set. Next, cut 5 - 4 1/2" segments by placing the 4 1/2" line of the ruler over the raw edge and the 45° line over a middle seam.



Sew segments end to end, then measure 52 1/2" and cut the RIGHT border according to the diagram.



3. Make one strip set by alternating 3 **C** 1 7/8" strips and and 3 **D** 1 7/8" strips. Stagger the strips in the opposite direction as the previous strip set for the LEFT border. Repeat the same cutting steps and cut 5 - 4 1/2" segments.




Sew segments end to end then cut LEFT border by measuring 52 1/2" according to the diagram.





Wall Hanging Instructions Continue Page 3

- 4. Sew LEFT and RIGHT borders to the quilt center.
- 5. Last, sew $\mathbf{F} + 1/2$ " borders to the quilt, sides first, then top and bottom borders according to the diagram.



F 11/2" x 41 1/2"

6. The Wall Hanging measures approximately 41" x 54". Make the backing (**Fabric G**) at least 6" larger than the top. Baste together the top, batting and backing. Quilt as desired. Attach binding (**Fabric E**) and enjoy!!